



CHHATISGARH ENVIRONMENT CONSERVATION BOARD

Form IV (See Rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility (HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 19356237

Period : 1.1.2024 to 31.12.2024

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	MR.ARNAB SMRITIDI RAHA
(ii) Name of HCF or CBMWTF:	APOLLO CITY CENTRE
(iii) Address for Correspondence:	APOLLO HOSPITALS, BILASPUR
(iv) Address of Facility:	APOLLO CITY CENTRE, CMD CHOWK, LINK ROAD, BILASPUR
(v) Tel. No.:	9755550834
(vi) Fax. No.:	-
(vii) E-mail ID:	ceo@apollohospitalsbilaspur.com
(viii) URL of Website:	
(ix) GPS coordinates of HCF of CBMWTF:	
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handling) Rules:	Authorization No.: 10348/BMW/HO/CECB/2020 Valid Upto: 31/12/2028
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto:
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF
(i) No. of Beds (for Bedded Hospital):	0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	NON BEDDED OPD CLINIC
(iii) Licence Number:	000517/BLP/CE/2020
(iv) Licence date of expiry:	30/12/2026
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 3 Red Category: 14 White Category: 2 Blue Category: 4 General Solid Waste: 15
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 100 Capacity: 200 Provision of on-site storage: Dedicated bins as per colour coded waste bags with lock and key facility for safe storage of waste

(ii) Disposal Facility:	<table border="1"> <tr> <th>Type of Treatment Equipment</th> <th>Number of Units</th> <th>Capacity(Kg/day)</th> <th>Quantity Treated or Disposed(Kg/annum)</th> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>3</td> <td>9</td> <td>18</td> </tr> </table>	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	Needle tip cutter or destroyer	3	9	18
	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)					
Needle tip cutter or destroyer	3	9	18						
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0								
(iv) No of vehicles used for collection and transportation of BMW:	1								
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> <tr> <td colspan="3">List is Empty</td> </tr> </table>	Type of waste	Quantity Generated	Where disposal	List is Empty				
Type of waste	Quantity Generated	Where disposal							
List is Empty									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:									
5. Do you have BMW management committee:	yes								
details:	BMW MANAGEMENT COMMITTEE								
6. Training Conducted on BMW Details									
(i) Number of training conducted on BMW Management:	24								
(ii) Number of personnel trained:	10								
(iii) Number of personnel trained at the time of induction:	10								
(iv) Number of personnel not undergone any training so far:	0								
(v) Whether standard manual for training is available:	yes								
(vi) Any other information:	AS PER BMW RULES								
7. Details of the accident occurred									
(i) No. of accident occurred:	0								
(ii) Number of the persons affected:	0								
(iii) Remedial Action taken:	0								
(iv) Any Fatality occurred, details:	0								
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	0								
Details of Continuous online emission monitoring systems installed:	0								
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	0								
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	0								
11. Any other relevant information:	INCENERATOR NOT INSTALLED . AGREEMENT WITH COMMON BIO MEDICAL WASTE FACILITY PROVIDER.								

Name and Signature of the Head of the Institution

Date :*02/06/2025*
Place : *BILASPUR*